

According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 453/2010)

Version: 1.0/ENRevision date: 27/12/2015Product name: Ultra Tacky GluePrinting date: 27/12/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Ultra Tacky Glue
REACH Reg. No.: No registration number is given.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: For paper, craft or cardboard projects.

Uses advised against: No information available.

1.3 Details of the supplier of the SDS

Importer: S&S WORLDWIDE INC

Address: 75 Mill Street Colchester, CT USA

Postcode: 06415

E-mail: productsafety@ssww.com

Telephone: 860-537-3451

1.4 Emergency telephone number

1-800-222-1222

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008[CLP]

This product is not classified as hazardous.

Classification according to Directive 67/548/EEC[DSD] or Directive 1999/45/EC[DPD]

This product is not classified as hazardous.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008[CLP]

Hazard pictogram(s): No Hazard pictogram.

Signal word: No signal word is used.

Hazard statement(s): No hazard statement.

Precautionary statement(s): No precautionary statement.

Supplemental Hazard information (EUH):



According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 453/2010)

Version: 1.0/EN

Product name: Ultra Tacky Glue

Revision date: 27/12/2015

Printing date: 27/12/2015

No information available.

Special rules for supplemental label elements for certain mixtures:

No information available.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1 Substance/Preparation information

Description of the mixture:

Ingredients information:

Ingredient name	CAS No.	Classification under DSD	Classification under CLP	% (w/w)	Pre-registration No.
Polyvinyl acetate	108-05-4	Not classified.	Not classified.	28	-
Water	7732-18-5	Not classified.	Not classified.	56.9	-
Polyvinyl alcohol	25213-24-5	Not classified.	Not classified.	15	-
Sodium propyl p-hydroxybenzoate	35285-69-9	Not classified.	Not classified.	0.1	-

Full text of R-phrase(s) and H-statement(s): see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes:

In all cases of doubt, or when symptoms persist, seek medical attention.

Following inhalation:

Remove victim from area of exposure - avoid becoming a casualty. Seek medical advice if effects persist.

Following skin contact:

If skin contact occurs, remove contaminated clothing and wash skin with running water. If irritation occurs seek medical advice.

Following eye contact:

If in eyes, wash out immediately with water. In all cases of eye contamination it is a sensible precaution to seek medical advice.

Following ingestion:

Rinse mouth with water. If swallowed, give a glass of water to drink. If vomiting occurs give further water. Seek medical advice.

4.2 Most important symptoms and effects, both acute and delayed



According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 453/2010)

Version: 1.0/EN

Revision date: 27/12/2015

Product name: Ultra Tacky Glue

Revision date: 27/12/2015

No information available.

4.3 Indication of the immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media: Not combustible, however, if material is involved in a fire use: Fine water spray,

normal foam, dry agent (carbon dioxide, dry chemical powder).

Unsuitable extinguishing media: No information available.

5.2 Special hazards arising from the substance or mixture

Not combustible, however following evaporation of the water component of the material, the residual material can burn if ignited. On burning will emit toxic fumes, including those of oxides of carbon.

5.3 Advice for fire-fighters

Wear self-contained breathing apparatus and chemical-protective clothing. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Refer to SECTION 8 for personal protective equipment. Prevention of skin and eye contact. Ensure adequate ventilation. Remove all sources of ignition.

6.2 Environmental precautions

Do not discharge into drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

SMALL SPILLS: Wipe up with absorbent (clean rag or paper towels). Allow absorbent to dry before disposing with normal household garbage.

LARGE SPILLS: Slippery when spill. Avoid accidents, clean up immediately. Wear protective equipment to prevent skin and eye contact. Contain - prevent run off into drains and waterways. Use absorbent (soil, sand or other inert material). Collect and seal in properly labeled containers or drums for disposal. Wash area down with excess water.

6.4 Reference to other SECTIONs

See SECTION 7 for information on safe handling.

See SECTION 8 for information on personal protection equipment.

See SECTION 13 for information on disposal.

SECTION 7: Handling and storage



According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 453/2010)

Version: 1.0/EN
Product name:Ultra Tacky Glue
Revision date: 27/12/2015
Printing date: 27/12/2015

7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Use personal protective equipment as required. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Use this material with adequate ventilation. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place and out of direct sunlight. Store away from incompatible materials described in Section 10. Protect from freezing. Keep containers closed when not in use - check regularly for leaks.

7.3 Specific end use(s)

Apart from the uses mentioned in SECTION 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values:

Not available.

DNEL (Derived No Effect Level) for workers and the general population:

Not available.

PNEC (Predicted No Effect Concentration) values:

Not available.

8.2 Exposure controls

Appropriate engineering controls:

Use in well ventilated areas. Keep containers closed when not in use.

Personal protective equipment:

Eye and face protection: Wear protective face shield or chemical goggles.

Skin protection: Wear overalls, safety boots and gloves to prevent contact.

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls:

Do not empty into drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance: Milky white Odour: Mild



According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 453/2010)

Version: 1.0/EN

Revision date: 27/12/2015

Product name: Ultra Tacky Glue

Printing date: 27/12/2015

pH: 4.5-5.5

Melting point:Not applicableBoiling point:100-120 °CFlash point:Not applicableEvaporation rate:Not availableFlammability (solid, gas):Not availableUpper/lower flammability or explosive limits:Not applicable

Vapour pressure (20°C)::3.2 kPaRelative Vapour Density (air=1):Not availableSpecific Gravity:1.01@20°CSolubility(ies):Soluble.

In water: Complete.

Partition coefficient: n-octanol/water:

Auto-ignition temperature:

Not applicable

Not available

Not available

Viscosity:

9000-11000 cps

Explosive properties:

Not available

Not available

Not available

9.2 Other information

No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage and handling conditions (see SECTION 7, handling and storage).

10.2 Chemical stability

Stable under normal conditions of use.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Avoid exposure to frost.

10.5 Incompatible materials

Incompatible with acids, alkalis and oxidising agents.

10.6 Hazardous decomposition products

Oxides of carbon.



According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 453/2010)

Version: 1.0/ENRevision date: 27/12/2015Product name: Ultra Tacky GluePrinting date: 27/12/2015

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity Oral, LD₅₀: No data available.

Inhalation, LC₅₀: No data available.

Dermal, LD₅₀: No data available.

Skin corrosion/irritation: No information available.

Serious eye damage/irritation: No information available.

Respiratory or skin sensitization: No information available.

Germ cell mutagenicity: No information available.

Carcinogenicity: No information available.

Reproductive toxicity: No information available.

STOT-single exposure: No information available.

STOT-repeated exposure: No information available.

Aspiration hazard: No information available.

SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicity Fish, LC₅₀: No data available.

Crustacea, EC₅₀: No data available.

Algae, EC₅₀: No data available.

12.2 Persistence and degradability

No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment information is not available as chemical safety assessment not conducted.



According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 453/2010)

Version: 1.0/EN

Product name: Ultra Tacky Glue

Revision date: 27/12/2015

Printing date: 27/12/2015

12.6 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Disposal must be made according to local and national regulations. Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: Transport information

14.1 Road transport ADR:

Not dangerous goods.

14.2 Railroad transport RID:

Not dangerous goods.

14.3 Inland water transport ADN:

Not dangerous goods.

14.4 Marine transport IMDG:

Not dangerous goods.

14.5 Air transport IATA:

Not dangerous goods.

14.6 Special precautions for user

No information available.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No information available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulation:

Authorisations: No information available. Restrictions on use: No information available.

EINECS: CAS# 108-05-4 and 7732-18-5 and 25213-24-5 are listed in.

DSD (67/548/EEC): All ingredients are not listed in.



According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No 453/2010)

Version: 1.0/EN

Revision date: 27/12/2015

Product name: Ultra Tacky Glue

Revision date: 27/12/2015

Printing date: 27/12/2015

Other	che	mical	regulation:	
Other	CITC	ııııcaı	regulation.	

CAS No.	USA	Canada	Australia	Korea	Japan	China
	TSCA	DSL	AICS	ECL	ENCS	IECSC
108-05-4	Listed	Listed	Listed	Listed	Listed	Listed
7732-18-5	Listed	Listed	Listed	Listed	Not listed	Listed
25213-24-5	Listed	Listed	Listed	Not listed	Listed	Listed

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this product.

SECTION 16: Other information

16.1 Revision Information

Date of the previous revision: Not applicable. Date of this revision: 27/02/2013.

Revision summary: The first new SDS

16.2 Abbreviations and acronyms

CLP: EU regulation (EC) No 1272/2008 on classification, labelling and packaging of chemical substances and

mixtures.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

EINECS: European Inventory of Existing Commercial Chemical Substances.

DSD: Dangerous Substance Directive (67/548/EEC).

TSCA: Toxic Substances Control Act, The American chemical inventory.

DSL: Domestic Substances List, The Canadian chemical inventory.

AICS: The Australian Inventory of Chemical Substances.

ECL: Existing Chemicals List, the Korean chemical inventory.

ENCS: Japanese Existing and New Chemical Substances. **IECSC:** Inventory of existing chemical substances in China.

16.3 Key literature references and sources for data

ESIS: European chemical Substances Information System.

Provided by company.

16.4 Relevant R-phrases/H-statements

Not applicable. This product is not classified as hazardous substance/mixture.

16.5 Training advice

Provide adequate information, instruction and training for operators.

16.6 Declare to reader

The information in this SDS is provided all the relevant data fully and truly. However, the information is provided without any warranty on their absolute extensiveness and accuracy. This SDS was prepared to provide safety preventive measures for the users who have got professional training. The personal user who obtained this SDS



According to Regulation (EU) No. 1907/2006 (REACH), Annex II (COMMISSION REGULATION (EU) No. 453/2010)

Version: 1.0/ENRevision date: 27/12/2015Product name: Ultra Tacky GluePrinting date: 27/12/2015

should make independent judgment for the applicability of this SDS under special conditions. In these special cases, we do not assume responsibility for the damage. According to REACH Article 31(5), the SDS shall be supplied in an official language of the Member State(s) where the substance or mixture is placed on the market, unless the recipient Member State(s) concerned provide otherwise. It should also be noted that this SDS is applicable to the countries with English as an official language.

------ End of the SDS ------