Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

Section 1 - PRODUCT AND COMPANY IDENTIFICATION

Material Name

CRAYOLA® CRAYONS™

Synonyms

CRAYOLA CRAYONS; CRAYOLA WASHABLE CRAYONS; CRAYOLA LARGE CRAYONS; CRAYOLA WASHABLE LARGE CRAYONS; CRAYOLA JUMBO CRAYONS; CRAYOLA WASHABLE JUMBO CRAYONS; ARTISTA II ANTIROLL CRAYONS; ARTISTA II CRAYONS; CRAYOLA BEGINNINGS; CRAYOLA COLORING BOOK CRAYONS; CRAYOLA CRAYON CLASSPACKS; CRAYOLA CONSTRUCTION PAPER CRAYONS; CRAYOLA DRYERASE CRAYONS; CRAYOLA EGG SHAPED CRAYONS; CRAYOLA FABRIC CRAYONS; CRAYOLA FLUORESCENT CRAYONS; CRAYOLA GEL F/X CRAYONS; CRAYOLA GLITTER CRAYONS; CRAYOLA METALLIC F/X CRAYONS; CRAYOLA MULTICULTURAL CRAYONS; MY FIRST CRAYOLA WASHABLE EASY GRIP CRAYONS; MY FIRST WASHABLE CRAYONS; CRAYOLA NEON CRAYONS; CRAYOLA POSTER CRAYONS; STAONAL MARKING CRAYONS (PERMANENT AND WATERPROOF); CRAYOLA TRIANGLE CRAYONS; CRAYOLA ART BUDDY BACKPACK; CRAYOLA COLOR ME A SONG; CRAYOLA CRAYON MAKER; CRAYOLA CRAYON MAKER REFILLS; CRAYOLA CREATIVITY TUB; CRAYOLA DRYERASE BOARDS; CRAYOLA DRY ERASE TRAVEL PACK; CRAYOLA DRYERASE ACTIVITY CENTER; CRAYOLA DRYERASE CLINGS AND STENCIL ASSORTMENTS; CRAYOLA INSPIRATION ART CASE: CRAYOLA MELT AND MOLD FACTORY: MY FIRST CRAYOLA ACTIVITES; CRAYOLA ULTIMATE ART SUPPLIES; CRAYOLA ULTIMATE CRAYON CASE; PRODUCT CODE(S): 03-4016; 03-9000; 03-9008; 04-0024; 04-0040; 04-0048; 04-0135; 04-0140; 04-0260; 04-1020; 04-1610; 04-1611; 04-1612; 04-1613; 04-1615; 04-1621; 04-1622; 04-1623; 04-1624; 04-1662; 04-1900; 04-1901; 04-1905; 04-1907; 04-1927; 04-1950; 04-1951; 04-1952; 04-1953; 04-1954; 04-1955; 04-1971; 04-1972; 04-2357; 04-2470; 04-2477; 04-2522; 04-2529; 04-2532; 04-2536; 04-2537; 04-2639; 04-2540; 04-2542; 04-2543; 04-2544; 04-2547; 04-2554; 04-2580; 04-2780; 04-3300; 04-3301; 04-3302: 04-3303: 04-3304: 04-3305: 04-3306: 04-3307: 04-4102: 04-4103: 04-4104: 04-4105: 04-4106: 04-4107; 04-4501; 04-4812; 04-4845; 04-5165; 04-5189; 04-5192; 04-5195; 04-5220; 04-5340; 04-5350; 04-5354; 04-5355; 04-5356; 04-5357; 04-5358; 04-5364; 04-5380; 04-5401; 04-5553; 04-5554; 04-5555; 04-5556; 04-5557; 04-5558; 04-5671; 04-5672; 04-5673; 04-5674; 04-5675; 04-5676; 04-5677; 04-5678; 04-5680; 04-5685; 04-5697; 04-5710; 04-5718; 04-5719; 04-5727; 04-5770; 04-5777; 04-5800; 04-5801; 04-5802; 04-5860; 04-6001; 04-6006; 04-6007; 04-6010; 04-6011; 04-6012; 04-6014; 04-6016; 04-7502; 04-8205; 04-8210; 04-8213; 04-8218; 04-8219; 04-8726; 04-9023; 52-008T; 52-008W; 52-010G; 52-010L; 52-012L; 52-014G; 52-014L; 52-016T; 52-027G; 52-033B; 52-033G; 52-033L; 52-034G; 52-034L; 52-038G; 52-038L; 52-051G; 52-051L; 52-064D; 52-080W; 52-088G; 52-088L; 52-097G; 52-0000; 52-0002; 52-0004; 52-0008; 52-5009; 52-0012; 52-0015; 52-0016 52-0022; 52-0024; 52-0029; 52-0030; 52-0031; 52-0033; 52-0038; 52-0048; 52-0059; 52-0064; 52-0080; 52-0083; 52-0092; 52-0096; 52-0241; 52-0320; 52-0322; 52-0333; 52-0336; 52-0389; 52-0743; 52-0836; 52-0952; 52-0953; 52-1024; 52-1165; 52-1170; 52-1167; 52-1171; 52-1172; 52-1173; 52-1174; 52-1175; 52-1176; 52-1177; 52-1204; 52-1219; 52-1220; 52-1221; 52-1222; 52-1223; 52-1225; 52-1226; 52-1227; 52-1228; 52-1230; 52-1231; 52-1232; 52-1234; 52-1235; 52-1236; 52-1237; 52-1238; 52-1239; 52-1240; 52-1241; 52-1242; 52-1243; 52-1244 52-1245; 52-1247; 52-1248; 52-1249; 52-1250; 52-1251; 52-1252; 52-1253; 52-1254; 52-1255; 52-1256; 52-1259; 52-1260; 52-1261; 52-1262; 52-1263; 52-1265; 52-1266; 52-1267; 52-1268; 52-1269; 52-1327; 52-1328; 52-1330; 52-1331; 52-1332; 52-1333; 52-1334; 52-1335; 52-1336; 52-1337; 52-1338; 52-1339; 52-1340; 52-1341; 52-1342; 52-1343; 52-1344; 52-1415; 52-1416; 52-1501; 52-1502; 52-1503; 52-1504; 52-1617; 52-1820; 52-1821; 52-1822; 52-1823; 52-1824; 52-1825; 52-1826; 52-1827; 52-1828; 52-1829; 52-1830; 52-1831; 52-1908; 52-2108; 52-2150; 52-2151; 52-2152; 52-2153; 52-2154; 52-2155; 52-2156; 52-2457; 52-2158; 52-2159; 52-2216; 52-2222; 52-3008; 52-3016; 52-3024; 52-3032; 52-3064; 52-3088; 52-3280; 52-3281; 52-3283; 52-3286; 52-3348; 52-3418; 52-3716; 52-3724; 52-3776; 52-3980; 52-

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

4008; 52-4016; 52-4030; 52-4031; 52-4032; 52-4200; 52-4201; 52-4202; 52-4203; 52-4204; 52-4205; 52-4206; 52-4207; 52-4208; 52-4209; 52-4210; 52-4211; 52-4300; 52-4301; 52-4302; 52-4303; 52-4304; 52-4305; 52-4307; 52-4306; 52-4308; 52-4309; 52-4310; 52-4311; 52-4312; 52-4313; 52-4314; 52-4315; 52-4316; 52-4317; 52-4318; 52-4319; 52-4320; 52-4321; 53-4322; 52-4323; 52-4324; 52-4325; 52-4326; 52-4327; 52-4328; 52-4329; 52-4230; 52-4331; 52-4332; 52-4333; 52-4334; 52-4335; 52-4336; 52-4337; 52-4338; 52-4339; 52-4340; 52-4341; 52-4342; 52-4343; 52-4344; 52-4345, 52-4346; 52-4347; 53-4348; 52-4349; 52-4350; 52-4351; 52-4352; 52-4353; 52-4354; 52-4355; 52-4356; 52-4357; 52-4358; 52-4359; 52-4360; 52-4361; 52-4362; 52-4363; 52-4364; 54-4365; 52-4366; 52-4367; 52-4368; 52-4369; 52-4370; 52-4371; 52-4372; 52-4373; 52-4374; 52-4375; 52-4376; 52-4377; 52-4378; 52-4510; 52-4511; 52-4512; 52-4513; 52-4514; 52-4515; 52-4516; 52-4517; 52-5004; 52-5009; 52-5010; 52-5445; 52-5816; 52-5817; 52-5818; 52-6412; 52-6436; 52-6437; 52-6444; 52-6465; 52-6474; 52-6800; 52-6801; 52-6802; 52-6803; 52-6804; 52-6805; 52-6806; 52-6904; 52-6908; 52-6916; 52-6920; 52-6924; 52-6948; 52-6964; 52-7016; 52-7516;52-8008; 52-8016; 52-8019; 52-8038; 52-8039; 52-8059; 52-8098; 52-8360; 52-8389; 52-8616; 52-8617; 52-8908; 52-9504; 52-9738; 52-9916; 52-9930; 52-MEGA; 58-8331; 74-5120; 74-5121; 74-5130; 74-6076; 74-6077; 74-7054; 74-7060; 74-7061; 74-7062; 74-7063; 74-7064; 74-7065; 74-7066; 74-7067; 74-7068: 74-7069: 74-7086: 74-7071: 74-7072: 74-7073: 74-7074: 74-7076: 74-7077: 74-7078: 74-7128: 80-8209; 80-8214; 80-8252; 80-8256; 80-8275; 80-6868; 80-6878; 80-6879; 81-1306; 81-1308; 81-1309; 81-1310; 81-1311; 81-1316; 81-1318; 81-1328; 81-1330; 81-1331; 81-1332; 81-1336; 81-1339; 81-1341; 81-1342; 81-1345; 81-1347; 81-1348; 81-1357; 81-1358; 81-1364; 81-1403; 81-1404; 81-1412; 81-1421; 81-1422;81-6887; 81-6892; 81-8103; 81-8114; 81-8115; 81-811682-5264; 82-5296; 95-1045; 95-1046; 95-1047; 95-1048; 95-1053; 95-1054; 95-1059; 95-1060; 98-2000; 98-3100; 98-3210; 98-3220; 98-3230; 98-3240; 98-3400; 98-5194; 98-5200; 98-5201, 98-5202, 98-5203; 98-5205; 98-5208; 98-5212; 98-5216; 98-8573; 98-8601; 98-8605; 98-8609; 98-8625; 98-8634; 98-8635; 98-8636; 98-8638; 98-8647; 98-8658; 98-8661; 98-8662; 98-8663; 98-8667; 98-9510; 98-9511

Product Description

Finished product.

Product Use Arts and Crafts

Restrictions on Use None known.

Details of the supplier of the safety data sheet

CRAYOLA LLC 1100 Church Lane Easton, PA 18044 Phone: 1-800-272-9652 Emergency Phone #: Health Emergency - Call local POISON CONTROL E-mail: support@crayola.com

Section 2 - HAZARDS IDENTIFICATION

Classification in accordance with paragraph (d) of 29 CFR 1910.1200. None needed according to classification criteria

GHS Label Elements

Symbol(s)

Signal Word None needed according to classification criteria

Hazard Statement(s)

Material Name: CRAYOLA® CRAYONS™

None needed according to classification criteria.

Precautionary Statement(s)

Prevention

None needed according to classification criteria.

Response

None needed according to classification criteria.

Storage

None needed according to classification criteria.

Disposal

Dispose in accordance with all applicable federal, state/regional and local laws and regulations.

Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

CAS	Component Name	Percent
Not Available	Product has been certified as nontoxic by the Art & Creative Materials Institute, Inc. and conforms to ASM D 4236 standard practice for labeling art materials for acute and chronic adverse health hazards.	100

Section 4 - FIRST AID MEASURES

Inhalation

It is unlikely that emergency treatment will be required. Remove from exposure. Get medical attention, if needed.

Skin

It is unlikely that emergency treatment will be required. If adverse effects occur, wash with soap or mild detergent and large amounts of water. Get medical attention, if needed.

Eyes

It is unlikely that emergency treatment will be required. Flush eyes with plenty of water for at least 15 minutes. If eye irritation persists, get medical advice/attention.

Ingestion

Call a poison control center or doctor immediately for treatment advice.

Most Important Symptoms/Effects

Acute

No information on significant adverse effects.

Delayed

No information on significant adverse effects.

Indication of any immediate medical attention and special treatment needed Treat symptomatically and supportively.

Section 5 - FIRE FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

carbon dioxide, regular dry chemical, regular foam, Water

Material Name: CRAYOLA® CRAYONS™

Unsuitable Extinguishing Media None known.

Hazardous Combustion Products Oxides of carbon

Advice for firefighters Slight fire hazard.

Fire Fighting Measures

Move container from fire area if it can be done without risk. Use extinguishing agents appropriate for surrounding fire. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.

Special Protective Equipment and Precautions for Firefighters

Wear protective clothing and equipment suitable for the surrounding fire.

Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Wear personal protective clothing and equipment, see Section 8.

Methods and Materials for Containment and Cleaning Up

Stop leak if possible without personal risk. Collect spilled material in appropriate container for disposal.

Section 7 - HANDLING AND STORAGE

Precautions for Safe Handling

Wash thoroughly after handling. Minimize dust generation and accumulation.

Conditions for Safe Storage, Including any Incompatibilities

None needed according to classification criteria.

Store and handle in accordance with all current regulations and standards. See original container for storage recommendations. Keep separated from incompatible substances.

Incompatible Materials

oxidizing materials

Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Component Exposure Limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

EU - Occupational Exposure (98/24/EC) - Binding Biological Limit Values and Health Surveillance Measures

There are no biological limit values for any of this product's components.

ACGIH - Threshold Limit Values - Biological Exposure Indices (BEI)

There are no biological limit values for any of this product's components.

Engineering Controls

Based on available information, additional ventilation is not required.

Individual Protection Measures, such as Personal Protective Equipment

Eye/face protection

Eye protection not required under normal conditions.

Skin Protection

Protective clothing is not required under normal conditions.

Material Name: CRAYOLA® CRAYONS™

Respiratory Protection

No respirator is required under normal conditions of use. Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Glove Recommendations

Protective gloves are not required under normal conditions.

Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

Appearance	various colors	Physical State	solid
Odor	distinct odor	Color	various colors
Odor Threshold	Not available	рН	Not available
Melting Point	43.3 °C (110 °F)	Boiling Point	Not available
Freezing point	Not available	Evaporation Rate	Not available
Boiling Point Range	Not available	Flammability (solid, gas)	Not available
Autoignition	Not available	Flash Point	Not available
Lower Explosive Limit	Not available	Decomposition temperature	Not available
Upper Explosive Limit	Not available	Vapor Pressure	Not available
Vapor Density (air=1)	Not available	Specific Gravity (water=1)	Not available
Water Solubility	(Insoluble)	Partition coefficient: n-octanol/water	Not available
Viscosity	Not available	Solubility (Other)	Not available
Density	Not available	Physical Form	solid
Molecular Weight	Not available		

Section 10 - STABILITY AND REACTIVITY

Reactivity

No reactivity hazard is expected.

Chemical Stability

Stable at normal temperatures and pressure.

Possibility of Hazardous Reactions Will not polymerize.

Conditions to Avoid None reported.

Incompatible Materials oxidizing materials

Hazardous decomposition products

Material Name: CRAYOLA® CRAYONS™

May release oxides of carbon. Provide adult supervision in a well ventilated area for techniques involving melted crayons. Ironing should be done by an adult in a well ventilated area. Overheating wax crayons during melting or ironing may release irritating fumes.

Thermal decomposition products

Oxides of carbon

Section 11 - TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Inhalation

No information on significant adverse effects.

Skin Contact No information on significant adverse effects.

Eye Contact

No information on significant adverse effects.

Ingestion

No information on significant adverse effects.

Acute and Chronic Toxicity

Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and no selected endpoints have been identified

Immediate Effects None.

Delayed Effects None.

Irritation/Corrosivity Data None

Respiratory Sensitization No information available for the product.

Dermal Sensitization No information available for the product.

Component Carcinogenicity None of this product's components are listed by ACGIH, IARC, NTP, DFG or OSHA

Germ Cell Mutagenicity No information available for the product.

Tumorigenic Data No data available

Reproductive Toxicity No information available for the product.

Specific Target Organ Toxicity - Single Exposure No target organs identified.

Specific Target Organ Toxicity - Repeated Exposure No target organs identified.

SDS ID: CRAY-024

Material Name: CRAYOLA® CRAYONS™

Aspiration hazard

no data available.

Medical Conditions Aggravated by Exposure No data available.

Section 12 - ECOLOGICAL INFORMATION

Ecotoxicity No information available for the product.

Component Analysis - Aquatic Toxicity

No LOLI ecotoxicity data are available for this product's components

Persistence and Degradability No information available for the product.

Bioaccumulative Potential No information available for the product.

Mobility

No information available for the product.

Section 13 - DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose in accordance with all applicable federal, state/regional and local laws and regulations. Recycle if possible.

Component Waste Numbers The U.S. EPA has not published waste numbers for this product's components

Section 14 - TRANSPORT INFORMATION

ADR Information: Additional information: Not regulated as dangerous goods

US DOT Information: Additional information: Not regulated as a hazardous material

IATA Information: Additional information: Not regulated as dangerous goods

ICAO Information: Additional information: Not regulated as dangerous goods

IMDG Information: Additional information: Not regulated as dangerous goods

RID Information: Additional information: Not regulated as dangerous goods

TDG Information: Additional information: Not regulated as dangerous goods Section 15 - REGULATORY INFORMATION

U.S. Federal Regulations

Material Name: CRAYOLA® CRAYONS™

SDS ID: CRAY-024

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

SARA Section 311/312 (40 CFR 370 Subparts B and C) Acute Health: No Chronic Health: No Fire: No Pressure: No Reactivity: No

U.S. State Regulations

None of this product's components are listed on the state lists from CA, MA, MN, NJ or PA

Not listed under California Proposition 65

Component Analysis - Inventory No information is available.

U.S. Inventory (TSCA)

All of the components of this product are listed on the TSCA Inventory. All components of this product are listed on the DSL.

Section 16 - OTHER INFORMATION

NFPA Ratings

Health: 1 Fire: 1 Reactivity: 0 Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Summary of Changes

Updated:01/07/2016

Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU - Australia; BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CLP - Classification, Labelling, and Packaging; CN - China; CPR - Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation; DSD -Dangerous Substance Directive; DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; ENCS - Japan Existing and New Chemical Substance Inventory, EPA - Environmental Protection Agency; EU -European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; ICAO - International Civil Aviation Organization; IDL -Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; ISHL - Japan Industrial Safety and Health Law, JP - Japan; Kow -Octanol/water partition coefficient; KECI - Korea Existing Chemicals Inventory, KECL - Korea Existing Chemicals List, KR - Korea; LEL - Lower Explosive Limit; LLV - Level Limit Value; LOLI - List Of LIstsTM - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH -National Institute for Occupational Safety and Health; NJTSR - New Jersey Trade Secret Registry; NTP -National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; REACH-Registration, Evaluation, Authorisation, and restriction of Chemicals; RID - European Rail Transport; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TCCA -Korea Toxic Chemicals Control Act, TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US - United States.

Other Information

Material Name: CRAYOLA® CRAYONS™

Disclaimer:

Supplier gives no warranty whatsoever, including the warranties of merchantability or of fitness for a particular purpose. Any product purchased is sold on the assumption the purchaser shall determine the quality and suitability of the product. Supplier expressly disclaims any and all liability for incidental, consequential or any other damages arising out of the use or misuse of this product. No information provided shall be deemed to be a recommendation to use any product in conflict with any existing patent rights.