

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED SAW DUST SM008 SD

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: TOOL SHED SAW DUST SM008 SD

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Room Fragrance

1.3 Details of the supplier of the safety data sheet

Company name: Active Minds

Company address: 117 Charterhouse Street
London
EC1M 6AA

Contact: Greg Wilson

E-Mail address:

Company phone: 0203 488 2001

1.4 Emergency telephone number

Emergency phone: 0203 488 2001

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: Flammable Liquid, Hazard Category 4
Sensitization - Skin Category 1
H227, Combustible liquid.
H317, May cause an allergic skin reaction.

2.2 Label elements

Signal word: Warning

Hazard statements: H227, Combustible liquid.
H317, May cause an allergic skin reaction.

Precautionary statements: P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P261, Avoid breathing vapour or dust.
P272, Contaminated work clothing should not be allowed out of the workplace.
P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P363, Wash contaminated clothing before reuse.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED SAW DUST SM008 SD

Version: 1

P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.

P403/235, Store in a well-ventilated place. Keep cool.

P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms:



Other hazards: None

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	%	GHS Classification
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	259-174-3	0.1-<1%	SCI 2-SS 1B;H315-H317
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9	0.1-<1%	SS 1B;H317
Naturally occurring terpenes and sesqui terpenes			0.1-<1%	FL 4-AH 1;H227-H304
Benzyl salicylate	118-58-1	204-262-9	0.1-<1%	EDI 2B-SS 1B;H317-H320
Geraniol	106-24-1	203-377-1	0.1-<1%	SCI 2-EDI 1-SS 1;H315-H317-H318
(Z)-3,4,5,6,6-Pentamethylhept-3-en-2-one	81786-73-4	279-822-9	0.1-<1%	FL 4-SS 1B;H227-H317
Eugenol	97-53-0	202-589-1	0.1-<1%	EDI 2A-SS 1B;H317-H319
alpha-Cedrene	469-61-4	207-418-4	<0.1%	AH 1;H304

The exact percentage concentrations of components are being withheld as a trade secret.

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Diethyl phthalate	84-66-2	201-550-6	0.18%

Section 4. First-aid measures

4.1 Description of first aid measures

IF ON SKIN: Wash with plenty of soap and water.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED SAW DUST SM008 SD

Version: 1

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED SAW DUST SM008 SD

Version: 1

7.3 Specific end use(s):

Room Fragrance: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m ³	Reference
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-hour TWA reference period)	-	5	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	10	UK EH40 Oct 2007

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 158 °F
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined

9.2 Other information: None available

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED SAW DUST SM008 SD

Version: 1

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

May cause an allergic skin reaction.

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: Not Applicable

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Not Applicable

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available

Inhalation Route: Not Available

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED SAW DUST SM008 SD

Version: 1

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: Not classified

14.2 UN Proper Shipping Name: Not classified

14.3 Transport hazard class(es): Not classified

Sub Risk: Not classified

14.4. Packing Group: Not classified

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SS 1=57.72%

Total Fractional Values: SS 1=1.73

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
--------------	---------

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED SAW DUST SM008 SD

Version: 1

AH 1	Aspiration Hazard Category 1
EDI 1	Eye Damage / Irritation Category 1
EDI 2A	Eye Damage / Irritation Category 2A
EDI 2B	Eye Damage / Irritation Category 2B
FL 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H320	Causes eye irritation.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER or doctor/physician.
P331	Do not induce vomiting.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED CAR POLISH SM008 CP

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: TOOL SHED CAR POLISH SM008 CP

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Room Fragrance

1.3 Details of the supplier of the safety data sheet

Company name: Active Minds

Company address: 117 Charterhouse Street
London
EC1M 6AA

Contact: Greg Wilson

E-Mail address:

Company phone: 0203 488 2001

1.4 Emergency telephone number

Emergency phone: 0203 488 2001

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: Flammable Liquid, Hazard Category 4
H227, Combustible liquid.

2.2 Label elements

Signal word: Warning

Hazard statements: H227, Combustible liquid.

Precautionary statements: P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P280, Wear protective gloves/eye protection/face protection.
P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235, Store in a well-ventilated place. Keep cool.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms: None

Other hazards: None

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED CAR POLISH SM008 CP

Version: 1

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	%	GHS Classification
Linalool	78-70-6	201-134-4	0.1-<1%	FL 4-SCI 2-EDI 2A-SS 1B;H227-H315-H317-H319
1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone	54464-57-2	259-174-3	0.1-<1%	SCI 2-SS 1B;H315-H317
alpha-Amylcinnamaldehyde	122-40-7	204-541-5	0.1-<1%	SS 1B;H317

The exact percentage concentrations of components are being withheld as a trade secret.

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Diethyl phthalate	84-66-2	201-550-6	0.47%
Dipropylene glycol monomethyl ether	34590-94-8		1.21%

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED CAR POLISH SM008 CP

Version: 1

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Room Fragrance: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m ³	Reference
------------	-----	----	-------------	-----	-------------------	-----------

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED CAR POLISH SM008 CP

Version: 1

Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-hour TWA reference period)	-	5	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	10	UK EH40 Oct 2007
Dipropylene glycol monomethyl ether	34590-94-8		Long-term exposure limit (8-hour TWA reference period)	50	308	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	-	UK EH40 Oct 2007

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 158 °F
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED CAR POLISH SM008 CP

Version: 1

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

This material does not meet the criteria for classification for health hazards under 29 CFR 1910.1200

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity: Not Applicable

Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity: Not Applicable

Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity: Not Available

Inhalation Route: Not Available

Information about hazardous ingredients in the mixture

Not Applicable

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED CAR POLISH SM008 CP

Version: 1

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: Not classified

14.2 UN Proper Shipping Name: Not classified

14.3 Transport hazard class(es): Not classified

Sub Risk: Not classified

14.4. Packing Group: Not classified

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
EDI 2A	Eye Damage / Irritation Category 2A
FL 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P261	Avoid breathing vapour or dust.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED CAR POLISH SM008 CP

Version: 1

P264	Wash hands and other contacted skin thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED ENGINE OIL SM008 EO

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: TOOL SHED ENGINE OIL SM008 EO

Other identifiers: None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Room Fragrance

1.3 Details of the supplier of the safety data sheet

Company name: Active Minds

Company address: 117 Charterhouse Street
London
EC1M 6AA

Contact: Greg Wilson

E-Mail address:

Company phone: 0203 488 2001

1.4 Emergency telephone number

Emergency phone: 0203 488 2001

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Class and category of danger: Flammable Liquid, Hazard Category 4
H227, Combustible liquid.

2.2 Label elements

Signal word: Warning

Hazard statements: H227, Combustible liquid.

Precautionary statements: P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P280, Wear protective gloves/eye protection/face protection.
P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235, Store in a well-ventilated place. Keep cool.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

Pictograms: None

Other hazards: None

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED ENGINE OIL SM008 EO

Version: 1

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	%	GHS Classification
alpha,alpha-Dimethylphenethyl alcohol	100-86-7	202-896-0	1-<5%	FL 4-ATO 4;H227-H302
10-Undecenal	112-45-8	203-973-1	0.1-<1%	SCI 2-EDl 2A-SS 1B;H315-H317-H319

The exact percentage concentrations of components are being withheld as a trade secret.

Substances with Community workplace exposure limits, not listed above:

Name	CAS	EC	%
Diethyl phthalate	84-66-2	201-550-6	6.73%

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: Flush immediately with water for at least 15 minutes. Contact physician if symptoms persist.

Skin exposure: Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if irritation persists.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

None expected, see Section 4.1 for further information.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED ENGINE OIL SM008 EO

Version: 1

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Room Fragrance: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:

Ingredient	CAS	EC	Description	ppm	mg/m ³	Reference
Diethyl phthalate	84-66-2	201-550-6	Long-term exposure limit (8-hour TWA reference period)	-	5	UK EH40 Oct 2007
			Short-term exposure limit (15-minute reference period)	-	10	UK EH40 Oct 2007

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED ENGINE OIL SM008 EO

Version: 1

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Not determined
Odour:	Not determined
pH:	Not determined
Initial boiling point / range:	Not determined
Flash point:	> 158 °F
Vapour pressure:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined

9.2 Other information: None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED ENGINE OIL SM008 EO

Version: 1

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in 29 CFR 1910.1200.

This material does not meet the criteria for classification for health hazards under 29 CFR 1910.1200

Assumed Toxicity Value (LD50 or ATE) for Acute Oral Toxicity:	>5000
Assumed Toxicity Value (LD50 or ATE) for Acute Dermal Toxicity:	Not Applicable
Assumed Toxicity Value (LC50 or ATE) for Acute Inhalation Toxicity:	Not Available
Inhalation Route:	Not Available

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
alpha,alpha-Dimethylphenethyl alcohol	100-86-7	202-896-0	1300	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity: Not available

12.2 Persistence and degradability: Not available

12.3 Bioaccumulative potential: Not available

12.4 Mobility in soil: Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Other adverse effects: Not available

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED ENGINE OIL SM008 EO

Version: 1

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

14.1 UN number: Not classified

14.2 UN Proper Shipping Name: Not classified

14.3 Transport hazard class(es): Not classified

Sub Risk: Not classified

14.4. Packing Group: Not classified

14.5 Environmental hazards: Not environmentally hazardous for transport

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not classified

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Key to revisions:

Not applicable

Key to abbreviations:

Abbreviation	Meaning
ATO 4	Acute Toxicity - Oral Category 4
EDI 2A	Eye Damage / Irritation Category 2A
FL 4	Flammable Liquid, Hazard Category 4
H227	Combustible liquid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P261	Avoid breathing vapour or dust.

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200

Product: TOOL SHED ENGINE OIL SM008 EO

Version: 1

P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/eye protection/face protection.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P330	Rinse mouth.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P403/235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
SCI 2	Skin Corrosion / Irritation Category 2
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.