

MATERIAL SAFETY DATA SHEET

05/19/2016

1. PRODUCT AND COMPANY IDENTIFICATION

MANUFACTURER OR DISTRIBUTOR : Bangkit USA INC
 10511 Valley Boulevard
 El Monte, CA 91731

INFORMATION TELEPHONE NUMBER : 626-672-0888

EMERGENCY TELEPHONE NUMBER : Call Local Poison Control Center

PRODUCT NAME : BAZIC CORRECTION FLUID

2. HAZARD IDENTIFICATION

If vapors are deliberately inhaled, the following symptoms may occur : respiratory irritation, dizziness, drowsiness, headache, nausea, unconsciousness, convulsions, cardiac sensitization, coma, and death.

3.COMPOSITION ON INGREDIENTS

Titanium Dioxide, Solvent, Resins.

4. FIRST AID MEASURES

Skin contact : Wash with soap and water
Eye contact : Irritation may occur. Wash through with water
Inhalation : This product is considered safe under normal use conditions
Ingestion : Contact a physician

5. FIRE FIGHTING MEASURES

Flammability Limits (% by volume) : Lower 1% Upper 8%
Flash Point : 25.5° F (Closed Cup)
Special Fire Fighting Procedures : In fires involving large quantities, use self-contained breathing apparatus. Cool fire-exposed containers with water spray/fog.
Unusual Fire and Explosion Hazards : Product is flammable. May produce hazardous decomposition products.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Accidental Release : Wipe up with absorbent material

7. HANDLING AND STORAGE

7.1 HANDLING

No special handling requirements.

7.2 STORAGE

In large quantities, store in a well-ventilated area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye Protection : None under normal use conditions
Clothing : None under normal use conditions
Respirator : None under normal use conditions
Ventilation : None under normal use conditions

9. PHYSICAL AND CHEMICAL PROPERTIES

For product unless otherwise specified :

Boiling Point : 209 - 230 F
Specific Gravity : 1.29
Vapor Pressure : 124 mm HG at 100 F
Solubility in Water : Negligible
Evaporation Rate : 3.6 (butyl acetate = 1)
Appearance, Odor : White fluid, solvent odor

10. STABILITY AND REACTIVITY

Stability : Stable
Conditions to Avoid : Open flames or other ignition sources
Chemical Incompatibility : Strong oxidizers
Hazardous Decomposition : May produce oxides of carbon, nitrogen, and various hydrocarbons in fire
Hazardous Polymerization : Will not occur

11. TOXICOLOGICAL INFORMATION

Currently there is no data available for this product.

12. ECOLOGICAL INFORMATION

Currently there is no data available for this product.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with Federal, State, and Local Regulations.

14. TRANSPORT INFORMATION

DOT : Hazard Class 3
IMDG : Hazard Class 3
IMO : Hazard Class 9

15. REGULATORY INFORMATION

TSCA : The product listed on this Material Safety Data Sheet is not listed on the Toxic Substances Control Act Inventory. All ingredients used to manufacture this product are listed on the TSCA inventory.

16. OTHER INFORMATION

Not available

DISCLAIMER : the information in this Material Safety Data Sheet (MSDS) is believed to be correct as of the date issued. Bazic Products **MAKES NO WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE.** User is responsible for determining whether the Bazic Product is fit for particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a Bazic Product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the Bazic Product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.