

GP2179

Neon Woven Bracelet Kit (Pk/28)

PLAY. LEARN. SHARE.
ssww.com/blog

Find ideas on the S&S Blog:

- Crafts & DIY
- Senior Activities
- Summer Camp
- Education & Classroom



@SSWorldwidecatalog



@ssworldwide



@ssworldwide



@SSWorldwide

MAKING IT EASY to SAVE MORE on your next order!

15% OFF
No \$ Minimum

Please mention Offer Code: **M2467**

Limit one per order.

May not be combined with other offers
or bid or contract pricing.

See ssww.com for Offer Terms and Conditions.

We reserve the right to terminate this
offer at any time without notice.

Call Toll-Free
1-800-243-9232

Online:
SSWW.COM

Email:
cservice@ssww.com

FAX:
1-800-566-6678

S&SWorldwide

Reorder Number

GP2179

1.6

S&S® Worldwide
MAKING IT EASY
to Help People Play and Learn Since 1906

Neon Woven Bracelet Kit (Pk/28)

PLEASE READ ALL INSTRUCTIONS BEFORE STARTING



YOUR KIT CONTAINS:

- Cord
- Crimp Clasps
- Jump Rings
- Spring Clasps
- Weaving Looms

YOU WILL NEED:

- Jewelry Pliers
- Clear Tape
- Scissors
- Hammer

AGE GROUP: 10 and up
PROJECT TIME: 30 minutes

© Copyright 2018 S&S® Worldwide Inc. All rights reserved.
No part of this project may be copied or duplicated without the express written permission of S&S Worldwide.

Kit may contain silicone gel packets, which should be removed before use.

PREP INSTRUCTIONS:

You may want to make copies of the chart sheet for each person. Everyone will need 10 pieces of cording (cut as per instruction 1. below), 1 Mighty Loom, 2 crimp clasps, 1 jump ring, 1 spring clasp, 2 small pieces of clear tape, and access to a hammer, jewelry pliers and scissors to make their bracelet.

INSTRUCTIONS:

1. Cut ten 18 inch lengths of cord. Bundle all cords together and tie an overhand knot at one end. (See Figure 1). Place the knot in the center hole of the foam loom. Separate the strands as shown in Figure A on the chart, as the starting position.

Note: Letters marked on the left of loom are lower case and right side are upper case (see Fig. 2)

2. To start the first weaving rotation move the cords in the following manner as shown in Figure B:

A. Move cord # 4 to E on the Right (so that's taking #4 on the Left side of the loom and moving it to E on the Right side) Then # 5 to e on the Left side of your loom. You will start every rotation like this. (See Figure B)

B. Move # 13 to 4 (Figure C)
3 to 13 (Figure D)
12 to 3 (Figure E)
2 to 12 (Figure F)

C. Move # 15 to 5
#6 to 15 (Figure H)
#16 to 6 (Figure I)
#7 to 16 (Figure J)

D. Move e to #2 (Figure K) staying on the Left side
E to #7 (Figure K) staying on the right side

That completes the first rotation, now repeat steps 2A-2D until your bracelet is the desired length.

3. A. Carefully remove all 10 cords from your loom; trim the ends evenly and tape together. The tape will help hold the cord in place so you can

hammer on the crimp. The tape can easily be removed once the crimp clasps are in place.


B. Repeat this on the other end so both ends are crimped tightly together.

4. Attach the spring hook to the jump ring. Then attach the jump ring to one of the crimp clasps using jewelry pliers. You're bracelet is done. Great Job!

Helpful Hints:

Use a clothespin as a weight to hold the knot down in the beginning of the weaving.

When you want to stop the weaving, in order to keep track of your place, always complete one full sequence.

FIGURE 1**FIGURE 2**

CHART




-  = remains in place
-  = move from this position
-  = move to this position

FIGURE A




FIGURE B




FIGURE C




FIGURE D




FIGURE E




FIGURE F




FIGURE G




FIGURE H




FIGURE I




FIGURE J




FIGURE K

